





Engineer a system that meets required light levels. We design it smart, not large, to ensure cost saving.

02

Build it tough to withstand heat, cold, wind and moisture. We offer a 10-year standard warranty. Accurately size for each location, including 4+ days of battery autonomy. This ensures reliable, year round operation.







SOLAR PANEL	1 Ba	ttery	2 Bat	teries	3 Bat	teries	4 Batteries		
	EPA (sq ft)	Weight (lbs)							
Single	7.33	145	8.18	215	8.18	273	8.18	331	
Double	14.67	174	15.52	243	15.52	301	15.52	360	

* Luminaire and arm not included. System weight and EPA will vary based on the number and type of both fixtues and batteries. The chait above is for reference only. Sol provides a calculated EPA and weight when a system is quoted and submitted

SYSTEM DATA

Colors	Aluminum/silver (natural finish), black, bronze. Custom RAL colors available upon request.				
Materials	Grade A corrosion resistant aluminum for panel mounts and battery enclosure. Steel and aluminum poles avail- able.				
Security	Batteries mounted at the top of the pole to reduce theft and vandalism. Security bolts used to fasten cover.				
Pole Ten on	3.5" (88.9mm) 0.D. x 6" (152.4mm)				
Panel Quantity	1-2 based on sizing				
CONTROLLER					
Monitoring	Insight remote monitoring package				
Charging Type	МРРТ				
LED Fixture Power	Via integrated onboard high-efficiencydriver				
Operating profile Options	Dusk-to-dawn 100% power, various dimmed profiles				
Day/Night Transition	Via solar panels				
BATTERY					
Туре	Maintenance-free valve regulated lead acid; spill-proof, leak-proof.				
Standard Options	Gel Technology Group 27 (5-year)				
Extended Life Options	Pure Lead AGM Technology Group 31 (10-year)				
Quantity	1-4 based on sizing				

WARRANTY (See warranty documentation for more details)

Electronics	10 years				
Battery	5-year warranty on Standard battery				
Dattery	Up to 10-year extended-life battery Upgrades available				
Fixture	Manufacturer's Warranty				
Pole	Lifetime (excluding finish)				
Hardware	10 years				

EVERGEN® ENERGY MANAGEMENT SYSTEM

The EverGen[®] ensures bright, reliable light Output and healthy, high-functioning lighting systems with low-maintenance operation and remote monitoring.

• Bluetooth[®] wireless technology and setup app for simple and secure setup

- System health notifications via SOL Insight if an EverGen isn't working as expected
- Programmed by Sol based on your project requirements
- Flexible operating modes (dusk-to-dawn, split night with dimming)
- Integrated MPPT charging and LED driving system reduces system failures, overall system complexity and cost
- Integrated surge protection and noise reduction
- Keyed connectors for simple and reliable assembly

• Temperature compensated and MPPT controlled battery charging to maximize battery life and energy collection

• Rugged solid State design ensures long life and no maintenance

10-year limited waranty

US and International patents apply. Other patents pending. «Sol» logo is a trademark of Sunna Design, Inc. All Sol products are manufactured in facilities that are certified to ISO quality standards.

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Sol is under license. Other trademarks and trade names are those of their respective owners.

Document: Evergen x Autobahn-Sol by Sunna-052022-print










EVERGEN® M OPERATING PROFILES







Five Dim Two (5D2) 100% at dusk for 5 hours - then dim to 30% -then 100% for 2 hours before dawn.



Three Dim Two (3D2) 100% at dusk for 3 hours - then dim to 30% then 100% for 2 hours before dawn.

The table shows the sustainable profile option an EverGen® M can provide in a given city for each Performance package.

///// ATB MICRO SOLAR



CITY	Seattle	San Francisco	Los Angeles	Phoenix	Albuquerque	Dallas	Denver	Atlanta	Indianapolis	Miami	Philadelphia
P101	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D
P102	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D
P103	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	D2D
P104	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	D2D
P105	3D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	5D2
P106	3D2	5D2	D2D	D2D	D2D	D2D	D2D	5D2	5D2	D2D	5D2
P151	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D	D2D
P152	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	D2D
P153	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	5D2
P154	3D2	5D2	D2D	D2D	D2D	5D2	5D2	5D2	3D2	D2D	5D2
P155		5D2	D2D	D2D	D2D	5D2	5D2	5D2	3D2	5D2	3D2
P156		5D2	5D2	D2D	5D2	5D2	5D2	5D2	3D2	5D2	3D2

3D2

//// ATBO SOLAR



CITY	Seattle	San Francisco	Los Angeles	Phoenix	Albuquerque	Dallas	Denver	Atlanta	Indianapolis	Miami	Philadelphia
P201	5D2	D2D	D2D	D2D	D2D	D2D	D2D	D2D	5D2	D2D	D2D
P202	3D2	5D2	D2D	D2D	D2D	D2D	5D2	5D2	5D2	D2D	5D2
P203		3D2	5D2	5D2	5D2	5D2	5D2	5D2		5D2	3D2
P204		3D2	5D2	5D2	5D2	3D2	3D2	3D2		5D2	
P205			3D2	3D2	5D2	3D2	3D2			3D2	







Distribuidor Autorizado:



